

IN THE CLAIMS

1-22. (Cancelled)

sub 101
23. (New) A carrying device for flat, box-shaped items, with the largest faces of the items arranged in vertical planes, which carrying device has a front for receiving the items, and a back, and comprises an upper retaining means elongate in a crosswise direction and a lower carrying means elongate in the crosswise direction, placed under the upper retaining means and extending in parallel and rigidly connected to the upper retaining means, said carrying means being provided with a substantially smooth and plane, essentially horizontal, an upper supporting face and a stop for the items, the stop being adjacent to and placed behind the supporting face and elongate in the crosswise direction; said retaining means having on an underside thereof a rubber-elastic portion and a stop for the items, placed behind the rubber-elastic portion and elongated in the crosswise direction, said rubber-elastic portion having a lip facing towards and to be engaged with an upper edge of an item, when said item is inserted into the carrying device.

24. (New) A carrying device according to claim 23, wherein the lip points in a direction toward the stop of the retaining means.

Sub
Cont

25. (New) A carrying device according to claim 23, wherein the lip has an edge facing the items.

CL
Cont

26. (New) A carrying device according to claim 23, wherein a width of the carrying means from the front of the carrying device is less than 20 mm, measured from the stop of the carrying means.

27. (New) A carrying device according to claim 26, wherein the width of the carrying means from the front of the carrying device is 5-15 mm, measured from the stop of the carrying means.

28. (New) A carrying device according to claim 27, wherein the width of the carrying means from the front of said carrying means is about 10 mm, measured from the stop of said carrying means.

29. (New) A carrying device according to claim 23, wherein the distance of the lip is less than 15 mm, as measured from the stop of the carrying means to the lip of rubber-elastic portion.

30. (New) A carrying device according to claim 29, wherein a distance of the lip is less than 10 mm measured from

Sub
only

the stop of the retaining means to the lip of the rubber-elastic portion.

31. (New) A carrying device according to claim 23, wherein a distance of the lip is about 5 mm measured from the stop of the retaining means to the lip of the rubber-elastic portion.

OK
Cont

32. (New) A carrying device according to claim 23 having a shelf protruding from the front of the carrying means arranged horizontally and vertically below the upper surface thereof.

33. (New) A carrying device according to claim 31, wherein said shelf has steps extending in the crosswise direction.

34. (New) A carrying device according to claim 33, wherein the steps are saw-tooth shaped with a low, steep or essentially vertical edge facing the stop of the carrying means.

35. (New) A carrying device according to claim 34, wherein peaks of serrations of said saw-tooth shaped steps are positioned in a horizontal plane which is 0.2-1 mm below a plane of a supporting face of the carrying means.

36. (New) A carrying device according to claim 35,
wherein the peaks of serrations of said saw-tooth shaped steps
are positioned in a horizontal plane which is about 0.5 mm
below the plane of the supporting face of the carrying means.

37. (New) A carrying device according to claim 23,
wherein the retaining means and carrying means are connected
by an essentially vertical wall which constitutes the two
stops.

38. (New) A carrying device according to claim
23, wherein the retaining means on a front thereof has
holders to hold signs and labels.

39. (New) A carrying device according to claim
38, wherein the holders to hold signs and labels are open
channels in the front of the retaining means.

40. (New) A carrying device according to claim
23, wherein the carrying means on a front thereof has
holders to hold signs and labels.

41. (New) A carrying device according to claim
40, wherein the holders to hold signs and labels are open
channels in the front of the carrying means.

sub
cont

42. (New) A carrying device according to claim 23, comprising suspension means for suspension of the device on a wall.

AC
cont

43. (New) A carrying device according to claim 42, having supporting means for support against a wall on which the carrying device is suspended.

44. (New) A carrying device according to claim 43, wherein the supporting means are adjustable lengthwise.

45. (New) A carrying device according to claim 44, wherein the supporting means are formed from pieces of an extruded rubber blank which in the crosswise direction is provided with longitudinal weakenings to permit a shortening of said rubber blank.

46. (New) A carrying device according to claim 23 having legs or feet for resting on a substantially horizontal support face.

47. (New) A carrying device according to claim 42, further comprising catching means for carrying an additional carrying device below the carrying device by suspension means on the additional carrying device.

sub
cont

48. (New) A carrying device according to claim 47, wherein said catching means on the carrying device and said suspension means on the additional carrying device are adapted to be locked together, when said additional carrying device is suspended by the suspension means from the catching means of the carrying device.

cl
cont

49. (New) A carrying device according to claim 48, wherein the interlocking arrangement is provided by a recess in both the suspension means and the catching means forming together a channel when assembled, in which channel a stiff wire is inserted and thus locking the suspension means and the catching means together.

50. (New) A carrying device according to claim 23, wherein said carrying device is of a form which is being elongated in the crosswise direction and has an essentially constant cross section.

51. (New) A carrying device according to claim 50, wherein the supporting structure of said carrying device is constituted of an extruded, elongated metal blank.

52. (New) A carrying device according to claim 23, wherein the flat, box-shaped items are selected from a group

76 sub
cont

comprising cassettes, tiles, covers, and in particular compact
discs in covers.
